



**PREMIUM PRODUCTS
AT TRADE PRICES**

PRODUCT CATALOGUE



About Us

3C Sealants are premium construction products @ trade prices.

After 40 years of supplying products from the biggest brand names in the construction trade, we figured we were qualified to make our own high quality product range and went about sourcing the very best materials at the 'right' price point to introduce to the market.

Through many years of experience in the sealing, bonding, waterproofing and concrete & wood repair industries, we know that trades people work to tight budgets with consumable materials and the slightest fluctuation in price causes issues.

We keep our prices extremely competitive, with rewarding quantity breaks, whilst keeping a focus on a high level of quality to ensure the entire 3C Sealants range can be classed as premium products designed for all-round use from DIY right up to professional trade. Further price breaks when purchasing bulk or large quantities for one-off jobs as call-offs etc. will always be considered, just ask.

An own label range was an exciting venture for us to take on and over the past 5 years, since the first product was introduced, 3C Sealants have evolved into a solid selection for a variety of tasks, from sanitary and expansion joint sealing, to timber repair, glazing refurbishment and power bonding.

Having control of the brand, we're extra vigilant regarding quality control and also ensure that high stocks are maintained, whilst continuing to provide a high standard of service in a helpful and professional manner.

All of our products are certified to industry standards and carry EAN barcodes and/ or CA markings (where necessary) for transparency and authenticity.

We started 3C Sealants with the ethos to evolve at just the right pace so as to build trust and maintain a high level of quality and service, with attention to detail being paramount to our operation, we've always strived to go the extra mile when it comes to customer service and provide useful, technical information, advice and recommendations with the entire 3C Sealants range of products.

CALL THE SALES OFFICE

Got a question about any of the 3C Sealants products or just simply prefer to speak to a real person? No problem, the County Construction Chemicals Ltd. technical sales team are available to answer your calls 8:30am - 5:00pm every Monday - Friday.

ORDER ONLINE

The easiest and most convenient way to order 3C Sealants products is via our online E-Shop www.sealantsonline.co.uk. The range is available at the touch of a button to collect from our stores or have delivered to anywhere in the UK, C.I. , R.O.I. or N.I. with fast despatch.

VISIT THE SHOWROOM

If you'd prefer to browse and purchase some 3C sealants, adhesives, wood repair or any other products in person, our bright and colourful showroom is home to the full range in Chingford and you'll get a free tea, coffee or hot chocolate and a chat for your trouble!



Contents

Sealants 3

3C HM Sealant	4
3C Low Mod Silicone	5
3C LMT Sealant	6
3C GP Silicone	7
3C Polymer Sealant	8
3C Paintable Acrylic	9

Adhesives 10

3C Max-Bond	11
3C Multi-Use	12
3C Multi-Use Crystal Clear	13

Fillers & Putties 14

3C Decor Caulk	15
3C Glazing Putty	16
3C Quick Fill	17
3C Paintable Glazing Putty	18

Wood Repair 19

3C 2 in 1 Wood Repair	20
3C 2-Part Wood Repair	21
3C Wood Repair Primer	22

Fire Protection 23

3C Intumescent Acoustic	24
3C Firestop Silicone	25

Tools & Equipment 26

3C Wipes	27
3C Tooling Sticks	28
3C Skeleton Gun	29
3C Professional Gun	30
3C 2-Part Resin Gun	31

3C Ambassador 32

Sealants Online 33

Contact Us 34



Sealants

3C HM Sealant	4
3C Low Mod Silicone	5
3C LMT Sealant	6
3C GP Silicone	7
3C Polymer Sealant	8
3C Paintable Acrylic	9

HM SEALANT



Premium quality - For all internal applications

Professional applicators insist on very high quality materials when it comes to using silicone sealants internally and rightly so. That's why the difference in application and the longevity is night and day between 3C HM and inferior, generic DIY type high modulus silicones.



Great adhesion - Seals many non-porous substrates

Lack of adhesion is a very common problem with high modulus silicone sealants. Often the cured seal will debond from one or both of the substrates or not stick to one or either upon application. 3C HM sealant adheres very well to most internal sealing tasks.



Long-lasting fungicide - Excellent resistance to mould growth


When it comes to areas of consistent or intermittent high humidity, such as bathrooms, shower rooms, kitchens or out buildings like conservatories and sheds, anti-mould additives are their most important feature! 3C HM has a perfect fungicide formula to help combat this problem.



Fantastic value - Great price breaks for quantities

Although we originally created 3C HM specifically with the trade professional mastic sealant applicators in mind, the product itself is also very DIY user friendly and the price breaks show this. Quite simply, it's great value by the tube but outstanding value by the box.

COLOUR	BOX QUANTITY	STOCK CODE
CLEAR	20	CCC0121
MANHATTAN	20	CCC0123
MEDIUM GREY	20	CCC0122
WHITE	20	CCC0120



LOW MOD SILICONE



Premium quality - Made for professional trade use

Low mod sealants are bread & butter to professional mastic sealant applicators and have been for decades, it's a very competitive market and we understood that we had to keep the costs down but the material had to be good. We worked hard and made 3C LOW MOD SILICONE great!



Neutral curing - Solvent-free alkoxy silicone

Products produced with Alkoxy technology form a skin slightly slower (15 – 20 minutes on average) allowing the user to tool the silicone into the joints, before a skin begins to form, thus giving the applicator adequate time to seal longer runs prior to tooling.



Excellent weathering - Perfect for external applications

3C LOW MOD SILICONE is designed specifically for professionals to perform particularly well with regards to application (gunning) characteristics with perfect adhesion to all common construction substrates. The fully cured durability to external elements is absolutely outstanding!



Translucent colour - Designed to cover irregularities

Only available in translucent (a cloudy clear) 3C LOW MOD SILICONE is suitable for most common substrates in external construction and is particularly suited to applications where a discreet weatherproof bead is required to cover a joint without trying to match colours.

COLOUR	BOX QUANTITY	STOCK CODE
TRANSLUCENT	24	CCC0135



LMT SILICONE



Premium quality - Made for professional trade use

Low mod sealants are bread & butter to professional mastic sealant applicators and have been for decades, it's a very competitive market and we understood that we had to keep the costs down but the material had to be good. We worked hard and made 3C LMT SILICONE great!



Neutral curing - Solvent-free alkoxy silicone

Products produced with Alkoxy technology form a skin slightly slower (15 – 20 minutes on average) allowing the user to tool the silicone into the joints, before a skin begins to form, thus giving the applicator adequate time to seal longer runs prior to tooling.



Excellent weathering - Perfect for external applications

3C LMT SILICONE is designed specifically for professionals to perform particularly well with regards to application (gunning) characteristics with perfect adhesion to all common construction substrates. The fully cured durability to external elements is absolutely outstanding!



Great colour range - Designed to suit exterior construction

The ever-growing range of colours available in 3C LMT SILICONE is based on the marketplace demand for the most common design substrates and obviously the mainstays. We're constantly alert to the changing trends in the external construction industry and evolve accordingly.

COLOUR	BOX QUANTITY	STOCK CODE
ANTHRACITE	24	CCC0139
BLACK	24	CCC0142
BRICK RED	24	CCC0141
BUFF	24	CCC0137
DARK ANTHRACITE	24	CCC0138
MID GREY	24	CCC0147
PORTLAND	24	CCC0148
WHITE	24	CCC0143



GP SILICONE



Great value - Very competitively priced

Designed with value in mind, to fit into the market as an all-round, general purpose sealant, 3C GP Silicone is a great quality, bang for your buck product when used as either (or both) an internal sanitary sealant and an external sealant for light work such as gap filling and air sealing.



Fantastically elastic - Over 90% recovery

If you're not interested in the science, in layman's terms, high elasticity is great for sealants. If you are then 3C GP has a fantastic recovery rate of over 90% (as per ISO 7389) is tested to an elongated breaking point of 130% (as per ISO 8339) yet still has a cured shore hardness of 14%.



Anti-mould - Fungicide added for sanitary use

3C GP has a professional grade fungicide added which compliments good adhesion to most internal surfaces such as ceramic, UPVC, tiles, enamel, glazing products and more. It's perfect for use in all types of sanitary applications such as bathrooms, showers, wet rooms & kitchens etc.



Long-lasting - Good resistance to ageing conditions

With a long general purpose working life, 3C GP is equipped with a fungicide additive meaning that it copes well with internal applications such as heat and cold but also does a decent job externally as a gap filler/joint sealant that comes up against UV and other weather extremities.

COLOUR	BOX QUANTITY	STOCK CODE
CLEAR	25	CCC0150
MOON WHITE	25	CCC0149
WHITE	25	CCC0151



POLYMER SEALANT



Premium quality - Professional construction sealing

Considered as, but not exclusively, a professional construction sealant, 3C Polymer Sealant exhibits superb adhesion for all types of connecting joints such as facades & frames etc. where different products are used together both inside & outside of buildings.



Polysulphide alternative - Replaces old technology

Hybrid polymer products have a far superior environmental & health profile compared to the old chemistry of polysulphide sealants that are slower-curing and contain solvents. The modern chemistry used for 3C Polymer Sealant provides an all-round better performance and longevity.



Internal & external - Performs well inside & outside

As well as being a good choice for internal joint sealing, 3C Polymer Sealant is weather & UV resistant, sticks very well to nearly all substrates (even when the surface(s) are damp) and has fantastic movement so it won't shrink or crack under intense movement when fully cured.



Perfectly overpaintable - Accepts various paints & stains

Providing the user with more versatility when cured, either immediately or in the future, 3C Polymer Sealant accepts many types of coatings from all popular water-based paints to wood stains and more on top of various substrates such as wood, uPVC, composite, metal and brick.

COLOUR	BOX QUANTITY	STOCK CODE
BLACK	24	CCC0163
GREY	24	CCC0164
WHITE	24	CCC0165



PAINTABLE



Silicone-like performance - 18% movement flexibility

3C Paintable has a unique formula that makes it almost the same as silicone to gun out and tool off etc. When fully cured, it has a whopping 18% movement accommodation, compared to most standard, generic caulks of 5-8% even beating the better performing caulks of 9-15%.



Fast drying - Overpaintable in one hour

3C Paintable is known as a 'gun & run' product to trades persons such as painters & decorators who far prefer to apply the product, tool it off to a neat finish straight after and then leave it ready to paint after a cuppa! Due to the formulation, no sanding or shaping is required.



Increased longevity - No shrinking or cracking

Nearly all caulks are acrylic, water-based products and it's a fact that when the water disperses during the curing process, just the remaining acrylic is left leaving decreased overall volume and much shrinkage. This makes most products unsuitable for medium to large joints & gaps.



Suitable for external use* - Great UV resistance

Although 3C Paintable is first and foremost an interior sealant, it also exhibits decent durability in exterior areas where it's exposed to the elements *as long as a minimum time of 30 minutes without rain or any other water comes into contact with the seal after application.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	20	CCC0140





Adhesives

3C Max-Bond	11
3C Multi-Use	12
3C Multi-Use Crystal Clear	13

MAX-BOND



High tack - Good initial bond strength

3C Max-Bond has a high initial bond strength to grip the surfaces and hold the item(s) in place so that the curing can begin for when you need a glue that grips or grabs the surface, whether it be bonding 2 x objects together or something onto another surface already in-situ.



60 shore hardness - Rock solid yet flexible

Where the adhesive used will be showing, such as a profile sandwich or the outside edge of a joint, a rigid, non-pick final cure is often required. With a shore hardness of over 60 yet remaining permanently flexible, 3C Max-Bond can also be thought of as a non-pick sealant adhesive.



Unbeatable bond - Powerful final tensile strength


Although there's lots of adhesives available in cartridges these days, very few offer such a phenomenal final cure as 3C Max-Bond. We wanted to create something that goes beyond the usual adhesion strength and we believe we've achieved the maximum power possible in a 1-part.



Damp tolerant - Can be used on damp surfaces

Ideally, as with most external construction projects, remedial or decorative work, when using products that cure, it's desirable for the surface to be bone dry that's going to be bonded but of course, this isn't always possible. 3C Max-Bond tolerates moist surfaces well.

COLOUR	BOX QUANTITY	STOCK CODE
BLACK	25	CCC0130



MULTI-USE



Use as an adhesive - Bonds various materials

3C Multi-Use is a great all-round adhesive with decent grab properties and is quite forgiving of slightly damp conditions. It can be used to stick onto (or bond together) aluminium, galvanized and stainless steel, zinc, copper, natural stone, wood, glass, brickwork, concrete and more.



Use as a sealant - Seal gaps and joins

Whether using internally or externally, 3C Multi-Use is formulated using the latest technology hybrid polymer that ensures it guns out smoothly with minimal effort and cures well to create a perfect, flexible dust and weatherseal between most substrates used in construction.



Anti-mould - Fungicide added for sanitary use

Unlike most like for like products in the all-in-one adhesive & sealant market, 3C Multi-Use contains an anti-mould fungicide additive to allow it to be used for sealing & bonding in areas with high humidity or prone to excess moisture such as bathrooms, wetrooms & kitchens etc.



Damp tolerant - Can be used on damp surfaces

Ideally, as with most external construction projects, remedial or decorative work, when using products that cure, it's desirable for the surface to be bone dry that's going to be bonded or sealed but of course, this isn't always possible. 3C Multi-Use tolerates moist surfaces well.

COLOUR	BOX QUANTITY	STOCK CODE
ANTHRACITE 7016	25	CCC0052
WHITE 9010	25	CCC0051



MULTI-USE CRYSTAL CLEAR



Use as an adhesive - Bonds various materials

3C Multi-Use Crystal Clear is a great all-round adhesive with decent grab properties and is quite forgiving of slightly damp conditions. It can be used to stick onto (or bond together) aluminium, galvanized and stainless steel, zinc, copper, natural stone, wood, glass, brickwork and more.



Use as a transparent sealant - Seal gaps and joints

Whether using internally or externally, 3C Multi-Use Crystal Clear seals connections to create a perfect, flexible dust and weatherseal between most substrates used in construction and decorating allowing the design and/or colour of the substrates below to still show through.



Invisible sealing & bonding - When transparency is required

Often in design and build, joints and butts are placed at an area where the aesthetics call for fixings or connections to be invisible to the eye. For example, 3C Multi-Use Crystal Clear can be used unseen to bond items such as trims and handles to glass doors & windows etc.



Damp tolerant - Can be used on damp surfaces

When using products that cure in most external construction projects, remedial or decorative work, it's desirable for the surface to be bone dry that's going to be bonded or sealed but of course, this isn't always possible. 3C Multi-Use Crystal Clear tolerates moist surfaces well.

COLOUR	BOX QUANTITY	STOCK CODE
CRYSTAL CLEAR	25	CCC0161





Fillers & Putties

3C Decor Caulk	15
3C Quick Fill	16
3C Glazing Putty	17
3C Paintable Glazing Putty	18

DECOR CAULK

£ Well priced - Honest & reliable acrylic caulk

We're not re-inventing the wheel, there's lots of acrylic caulks out there that 'do a job' but as with any bread & butter type product, there are certain ways of cheapening material with fillers or even more water that obviously affects overall performance, 3C Decor Caulk is NOT one of those!

7.5% movement - Remains partially elastic

As previously stated, there are higher quality caulking products with greater movement on the market (such as our Paintable) but often a lower movement can be beneficial (or at least suffice) in certain gaps and cracks. We find that 3C Decor Caulk has a very decent amount of give!

Age resistance - Great lifespan when fully cured

When it comes to water-based acrylic products, the big problem is shrinkage and cracking over time when cured, especially frustrating when the paint over job is affected causing a cosmetic failure! 3C Decor Caulk is proven to perform well over longer periods of time than others.

Versatile use - Useable on many different surfaces

With a good body to the wet material when applied, 3C Decor Caulk adheres well to most common substrates used in internal design and construction applications such as wood, metal, plastic and concrete etc. It sands back (or down) very nicely and takes most coatings & paints.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	25	CCC0145



QUICK FILL

£ Great price - Generous quantity per tube

When purchasing an interior filler for prepping surfaces prior to painting (or as a neat white finish) whether it's for professional painting & decorating or DIY home use, cost is a crucial factor for the buyer. 3C Quick Fill ticks that box with a decent 300g fill @ a competitive rate.

🌸 Multiple applications - Use on various substrates

Instead of using several individual products for different surfaces, 3C Quick Fill works perfectly well as a universal, interior filler with fantastic adhesion to most materials used in building such as: concrete, plaster, plasterboard, wood, plastic, UPVC, stone and metal.

🕒 Fast drying - Paintable in 1-2 hours

Although officially noted as a 1-2 x hour(s) drying time, 3C Quick Fill can often accept a coating after a very short while (dependant on the temperature and humidity in the room at the time) with little or no preparation required (such as sanding etc.) Always test a very small area first!

✖️ Virtually shrink-free - Useable on many different surfaces

Many 1-part fillers that offer fast drying times come at a cost of exhibiting quite extreme shrinkage as the water evaporates. 3C Quick Fill is designed to be a high quality rapid 1K filler based on acrylic dispersion with practically no loss of material in the gap, crack or scuff.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	12	CCC0152



GLAZING PUTTY



Putty replacement - Instead of traditional methods

Traditionally, putties have been used when bedding window and/or doors into frames and so too for the proceeding backfilling or fillet jointing from glazing to frame. 3C Glazing Putty makes this an easy process simply applying with a gun straight into the joint or gap and tooling to a finish.



All weather - resistant to extremities

With a temperature tolerance of -40°C - $+120^{\circ}\text{C}$ 3C Glazing Putty is robust and resilient to many weathering extremes such as frost, driving rain and high UV making it an ideal choice to use for both bedding and sealing of either (or both) sides of window and door frames alike.



Permanently flexible - Won't crack or shrink




Although 3C Glazing Putty cures to a solid 41 shore hardness, it also remains just flexible enough to cope with the inevitable movement of various substrates with a deformation capability of 7.5% but less than 3% shrinkage. This means it has more resistance to shrinking and cracking.



Easy tooling & finishing - Great workability

With a mastic joint sealant like consistency, 3C Glazing Putty extrudes (guns out) very smoothly and exhibits great toolability to smooth and shape to a finish on joints with a skinning over time of around 14 minutes and a full cure of approx. 1 day: 3mm & 4 days: 6mm.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	25	CCC0100



PAINTABLE GLAZING PUTTY



Install or replace - Finish to your choice

Traditionally, putties have been used when bedding window and/or doors into frames and so too for the following backfilling or fillet jointing from glazing to frame. 3C Paintable Glazing Putty is simply applied with a gun straight into the joint or gap and with a view to over painting.



All weather - Resistant to extremities

Being an MS Hybrid Polymer, 3C Paintable Glazing Putty exhibits a large temperature tolerance and is very tolerant to damp surfaces upon application! making it robust and resilient enough to use on either (or both) sides of window and door frames alike.



Solid yet flexible - Won't shrink or crack


3C Paintable Glazing Putty cures to a solid 41 shore hardness, but also remains just flexible enough to cope with the inevitable movement of various substrates with a deformation capability of 7.5% but less than 3% shrinkage. This leaves a perfect base for over coating with a finish.



Ideal to cover over - Takes almost all paints & coatings

Unlike all mastic joint sealants that contain silicone, 3C Paintable Glazing Putty is MS Polymer based, meaning that the cured product naturally takes coatings & paints very well giving many different options for creating the ideal finish on wood, natural stone, UPVC, metal & more.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	25	CCC0101





Wood Repair

3C 2 in 1 Wood Repair	20
3C 2-Part Wood Repair	21
3C Wood Repair Primer	22

2 IN 1 WOOD REPAIR



Quick & easy use - One-step direct application

From small repairs right up to large vertical repairs of up to 150mm and with a capable depth of 5mm right up to 65mm, 3C Wood Repair 2 in 1 can be applied in a single application making it a very useful, effective product for anyone from home DIY users to trade professionals.



Double sectioned - Single cartridge design

With similar epoxy resin products on the market, it's a known fact that a huge percentage of failures are due to incorrect mixing of the material prior to application. This is mainly due to differing ratios of parts 1 & 2. 3C Wood Repair 2 in 1 is more accurate from a single cartridge.



Durable elasticity - Extremely tough final cure

It might sound like a contradiction in terms but explained simply, 3C 2 in 1 Wood Repair is formulated to be the absolute perfect mix (when cured) of super sturdy yet remains elastic enough to allow movement removing the risk of perishing by shrinking, splintering or cracking.



Ready in 8 hours - Sanding, drilling, planing & coating

As with all resin-based systems there's a timescale for a full cure for which cost and final strength are relevant. With our 3C 2 in 1 Wood Repair we've gone for a sensible 8 hour cure system, after which, a complete shape and finish to the substrate is possible.

COLOUR	BOX QUANTITY	STOCK CODE
BEIGE	12	CCC0083



2-PART WOOD REPAIR

5-60mm

Professional 2-part epoxy resin - Medium to large repairs

With many DIY or 'light repair' products available targeted at trades persons and home users for simple snagging etc. 3C Wood Repair fills the gap in the market for a wood repair resin for those who require a high quality resin repair system that is substantial enough for larger repairs.



Equally filled cartridges - Straightforward 1-1 ratio

With similar epoxy resin products on the market, it's a known fact that a huge percentage of failures are due to incorrect mixing of the material prior to application. This is mainly due to differing ratios of parts 1 & 2. Simply applied as a 1-1 mix, 3C Wood Repair is more accurate.



Durable elasticity - Extremely tough final cure

It might sound like a contradiction in terms but explained simply, 3C Wood Repair is formulated to be the absolute perfect mix (when cured) of super sturdy yet remains elastic enough to allow movement removing the risk of perishing by shrinking, splintering or cracking.



Ready in 8 hours - Sanding, drilling, planing & coating

As with all resin-based systems there's a timescale for a full cure for which cost and final strength are relevant. With our Wood Repair we've gone for a sensible 8 hour cure system, after which, a complete shape and finish to the substrate is possible.



COLOUR	BOX QUANTITY	STOCK CODE
BEIGE	12	CCC0081



WOOD REPAIR PRIMER



Useful addition - Pre treatment for timber

Although considered an additional expense to the actual repair resin product, 3C Wood Repair Primer can save considerable time and effort by stabilising and preparing the surface for the application of 3C Wood Repair. Some trades persons swear by it and will use it without question.



Easy mixing - Exact 1-1 pour ratio

Bottled into 2 x equal 100ml bottles, 3C Wood Repair Primer is manufactured in such a way that the base (Part A) and the catalyst (Part B) can be poured in the exact same amounts removing any margin for error in the process. It's poured, stirred to a finish, ready for immediate application.



Easy application - Brush directly onto surface

As mentioned above, the easy to follow 1-1 ratio of 3C Wood Repair Primer alleviates errors in mixing, allowing for immediate stirring followed by simple 'brush-on' application straight onto the surface. Once applied, the coating will be ready to receive the repair resin after just 20 minutes.



Deep penetration - Firms up porous substrates

Different types of timber have various forms, levels of porosity and textures. 3C Wood Repair Primer is formulated to work well with all the variables to cover, coat and dry deep into the surface to leave a sound base ready to take the mixed paste of the 3C Wood Repair Resin.

COLOUR	BOX QUANTITY	STOCK CODE
BLUE/BEIGE	12	CCC0080





Fire Protection

3C Intumescent Acoustic 24

3C Firestop Silicone 25

INTUMESCENT ACOUSTIC



Fire rated - Conforms to BS EN 1366-4:2006

Giving a firm yet flexible seal to a variety of joints in fire rated building structures, 3C Intumescent Acoustic Sealant is a 1-part, emulsion acrylic based sealant that swells more than 3 x its original size, when exposed to heat, creating a char that will resist the passage of fire for up to 5 hours.



Excellent acoustic properties - Sound deadening

Tested and certified for excellent acoustic properties for sound deadening, 3C Intumescent Acoustic has an average noise reduction of 25.2db (100-3150Hz) according to acoustic rating: BS EN ISO 140/3:2005. Perfect for stifling sound through gaps and connections etc.



Fantastic value - Premium quality


Being a premium quality product at such great price breaks, customers often buy 3C Intumescent Acoustic as a cost-effective sealant for many internal connection joints and other areas where a filler or caulk is normally used but neither a fire rating or acoustic properties are required.



Overpaintable - Skins over quickly

As an acrylic-based material, 3C Intumescent Acoustic cures to a dry, tack-free surface perfect for taking a coating such as varnish or paint. Whilst the product stays partially flexible 'always' to allow for movement, when applied, the sealant skins over in approximately 15 minutes.

COLOUR	BOX QUANTITY	STOCK CODE
GREY	25	CCC0002
WHITE	25	CCC0001



FIRESTOP SILICONE



Neutral curing - Elastic silicone sealant

A professional quality, neutral cure, elastic, fire-stopping, acoustic rated silicone sealant. With a permanently flexible 25% movement and fantastic toolability, 3C Firestop Silicone is an industry standard product with much sought after credentials.



Fire retardant - Conforms to EN1366-4:2010

To help stop a fire spreading, a specialist fire retardant seal is required around the perimeter of internal and/or external frames and connecting joints. 3C Firestop Silicone is tested to an industry standard listed as: Fire resistance tests for service installations - Linear joint seals



Air permeable - Conforms to EN13141-1

For various reasons, it's vital for all building structures to breathe. Air permeability can be achieved and tested to satisfy an industry standard. 3C Firestop Silicone is certified as: Ventilation for buildings. Performance testing of components/products for residential ventilation.



Fire rating - Up to 4 hours (in certain joint configurations)

As mentioned above, a fire retardant can stop the spread of flames by slowing down the flame. In the fire protection industry, this is classed by giving the products a fire rating in timescales. 3C Firestop Silicone has been tested to a maximum 4 hour rating if applied correctly.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	12	CCC0030





Tools & Equipment

3C Wipes	27
3C Tooling Sticks	28
3C Skeleton Gun	29
3C Professional Gun	30
3C 2-Part Resin Gun	31

WIPES



Perfect for professionals - Handy for home use

We're often asked if our wipes are for professional or just DIY use. 3C Wipes were designed in such a way that they're effective for most heavy duty jobs such as cleaning wet or paste materials from surfaces & tools, but also cost-effective and useful for tasks around the house.




Remove the old - Tidy up the new

3C Wipes work very well to both remove old residue, dirt, dust and muck etc. from a gap, joint or surface in preparation to seal or bond and also works equally as well to clean up any accidental excess liquid or paste materials from tools and surfaces such as silicone off windows.



Wipe away grease - Wipe away oil

When applying new materials that rely on adhesion, such as mastic joint sealants, adhesives or tapes, it's vital that a clean, sound surface is prepared to allow for a reaction to occur. Substrates' natural oils as well as common grease etc are quickly and easily removed with 3C Wipes.



Superb tool cleaner - Safe skin cleaner

We use just enough chemicals in 3C Wipes to make them tough enough to remove common stains, residue, dirt & muck etc. from most hand tools but not so much that they'll react with skin or cause inhalation issues. However, please check the MSDS if you have any allergies etc.

COLOUR	BOX QUANTITY	STOCK CODE
WHITE	12	CCC0075



TOOLING STICKS



Old Skool - Tried & tested

The same design that's been used for decades the world over in many industries for the same simple reason! 3C Wooden Wave Tooling Sticks are for shaping & tooling mastic joint sealants to a neat & sound finish after application in-situ, in the joint (utilising a lubrication of some kind).



Unique design - Shaped for comfort

Easy to hold and straight-forward to use, all 4 of the 3C Wooden Wave Tooling sticks are precisely cut to the exact same length of 240mm with chunky depth of 28mm to fit into the palm of your hand for a secure and firm grip whilst smoothing.



Pre-cut - Ready to use widths

Joint widths vary from application to application such as small joints in the connection from a sink basin to a splash back versus a larger expansion joint between 2 x panels of brickwork. The 3C Wooden Wave Tooling Sticks are cut to widths of: 7mm, 10mm, 12mm and 15mm.



Long-lasting - Sturdy construction

Fabricated from high quality beech wood, the 3C Wooden Wave Tooling Sticks are built to last with a little attention & care (such as properly wiping the product tooled from the stick directly after use) they'll take quite a beating in your tool bag and don't mind getting wet!



COLOUR	BOX QUANTITY	STOCK CODE
WOOD	1	CCC0153



SKELTON GUN



Robust construction - Designed & built to last

With hardly any adjustments to the original design, this humble skeleton gun has remained a mainstay in the trade for decades. The 3C Cox Skeleton Gun is still the same go to choice of applicator tool (especially for internal mastic joint sealant application) but in 3C red.



Good value - Competitively priced

Sitting in the slightly higher end of the basic skeleton gun market, one must consider that, compared to any generic, cheap and cheerful mastic caulking guns commonly found in the DIY stores, the 3C Cox Skeleton Gun will outlast all of these often mostly plastic applicator guns.



Versatile applicator - Use for various sized cartridges


The 3C Cox Skeleton Gun is a medium duty tool for most mastic sealant consistencies from low to high viscosity. Suitable for cartridges from 290ml - 400ml (150ml co-axial carts also possible) and features a solid thrust trigger action of approx. 21 x pulls full plunge.



Long history - Tried & tested over decades

When it comes to hand tools, the old adage, 'if it ain't broke don't fix it' rings true for many trades and that's why we didn't try to re-invent the wheel with the 3C Cox Skeleton Gun, instead opting for a customised version of the old faithful PC Cox Skeleton Gun, used for over 30 years!

COLOUR	BOX QUANTITY	STOCK CODE
RED	12	CCC0166



PROFESSIONAL GUN



Robust construction - Designed & built to last

Literally labelled a 'professional gun' to suggest use by a trades person, the 3C Cox Pro Gun is long thought of as the number one choice of skeleton gun (especially for external mastic joint sealant application), the legendary but humble Cox pro gun gets a nice 3C red facelift.



Good value - Competitively priced

Sitting in the higher end of the Skeleton gun market, one must consider that, compared to any generic, cheap and cheerful mastic caulking guns commonly found in the DIY stores, the 3C Cox Pro Gun will last the lifetime of several of these often mostly plastic applicator guns.



Versatile applicator - Use for various sized cartridges


Robust and reliable, the 3C Cox Pro Gun is heavy duty enough for almost all mastic sealant consistencies from low to high viscosity. Suitable for cartridges from 290ml - 400ml (150ml co-axial carts also possible) and features a high thrust trigger action (approx. 31 x pulls full plunge)



Long history - Tried & tested over decades

When it comes to hand tools, the old adage, 'if it ain't broke don't fix it' rings true for many trades and that's why we didn't try to re-invent the wheel with the 3C Cox Pro Gun, instead opting for a customised version of the old faithful PC Cox Professional Gun, used for over 30 years!

COLOUR	BOX QUANTITY	STOCK CODE
RED	12	CCC0162



2-PART RESIN GUN



Great value - Competitively priced tool

As we like to be transparent with all things we supply, we admit that the 3C Wood Repair Resin Gun is a non-essential tool yet must be considered a cost-effective method of applying a 2-part product all in one go (with the perfect amount extruded) that makes life much easier for the user!



Robust construction - Designed & built to last

To make life easier when applying our fantastic 3C 2-Part Wood Repair material, we supply the super strong, dual dosing 3C Wood Repair Resin Gun, with a especially powerful transmission making it ideal for applying the exact 1-1 ratio dosage of the epoxy filler components A & B.



Lightweight design - Easy to hold & use

When working for extended periods, a hand tool needs to be weight appropriate, the 3C Wood Repair Resin Gun is especially designed & tested to be in the sweet spot between trade standard solid and not over-engineered so that it's impossible to hold any length of time.



Easy maintenance - Long-lasting with minimal care

With stand out fixings, easily identified for loosening and/or tightening specific mechanical parts, the 3C Wood Repair Resin Gun requires just a little care and maintenance to keep it running efficiently and ensures a long lifespan to give reliability and provide great value.

COLOUR	BOX QUANTITY	STOCK CODE
BLACK	1	CCC0099





Our Brand Ambassador

We're pleased to say that we have our very own ambassador for the 3C Sealants range, Mr. Craig Phillips. Before winning the first series of Big Brother in 2000, Craig ran a successful building company, working on everything from kitchens to complete home renovations. Now he's one of the UK's most recognisable and trusted faces in DIY and home improvements, amassing many hours of TV time with various programmes and features. Craig has incredible knowledge of all things 'do it yourself' alongside his professional construction experience and more recently integrated his wife Laura into the mix. Herself no stranger to hand tools with a strong eye for interior design and heaps of enthusiasm, Laura still manages to teach Craig a thing or two in their purpose-built workshop! Now collectively known as Mr & Mrs. DIY the dynamic duo have even planned and built their own dream house where they now live with their children. Look out for Craig's Youtube & other social media videos where he'll be using various 3C Sealants products from the range in his various projects including reviews and top tips on subjects such as sealing, bonding and wood repair.

Head over to our YouTube channel, 3C Sealants, where you can find some hands on demonstrations and reviews of our products by the Mr & Mrs DIY team.





Carriage £7.80 inc VAT (Free for totals over £75 inc VAT)

Surcharges apply for parts of: [Scotland](#), [Rep of Ireland](#), [Northern Ireland & Channel Islands](#)
 Delivery 1-7 x days (stock dependant - call or email to check) [Click for more info](#)

[Customer Login](#)

[Basket/Checkout](#)

Phone: 020 8524 1931 Fax: 020 8529 0103 Email: info@sealantsonline.co.uk

Total £0.00
 Price shown includes VAT

MASTIC JOINT SEALANTS	ADHESIVES & TAPES	FOAMS & FILLERS	WOOD REPAIR & CARE	STONE CARE & SEALERS	FIRE PROTECTION	PRIMERS & CLEANERS	WATER PROOFING	CONCRETE CARE & REPAIR	GUNS TOOLS & MORE
-----------------------------	----------------------	--------------------	--------------------------	-------------------------	--------------------	-----------------------	-------------------	------------------------------	----------------------



PREMIUM PRODUCT RANGE

AT TRADE PRICES

www.3c-sealants.co.uk








@3CSEALANTS

Our E-Shop

Sealants Online is our E-Shop and window to the outside world. From DIY users wishing to make repairs and freshen up their internals and externals at home, to main contractors and architects specifying large quantities for grand projects, we have you covered.

As well as selling the full selection of sealants, adhesives, wood repair materials and more in the 3C Sealants product range, we also stock a huge range of the very latest technology in sealing, bonding, waterproofing and concrete/wood repair technology solutions from the world's leading manufacturers.

If you're looking to match a silicone or other mastic product to your substrate, we're proud to stock, what we can officially say is, the largest selection of coloured mastic joint sealants in the UK! If by some chance we don't have the colour you require, we can arrange to have it made for you.

So for your all your sealants, adhesives, specialist build & repair, waterproofing materials, foams, fillers, fire protection, wood care & repair, stone care, block paving & patio sealers, primers, cleaners, safety equipment, mastic guns, tools and accessories, visit www.sealantsonline.co.uk - we've got you well covered!



Contact Us

Not sure what to buy? Need to know something technical, unique or bespoke? Need to contact 3C Sealants for any reason at all? We're happy to help with your questions, enquiries and queries.

Contact us by phone or Email or visit us in person and we'll help you as much as we possibly can!



Call Us

020 8524 1931



Email Us

info@3c-sealants.co.uk




Website

www.3c-sealants.co.uk



Visit Us

**Unit 4 Chingford Ind Centre,
Hall Lane, London, E4 8DJ**



Get in touch with **3C Sealants**

A Brand From *County Construction Chemicals Ltd.*

Phone: 020 8524 1931
E-Mail: info@3c-sealants.co.uk
Website: www.3c-sealants.co.uk
E-Shop: www.sealantsonline.co.uk

Opening Hours:

Trade Counter: Mon-Fri 6am to 5pm
Office: Mon-Fri 8:30am to 5pm

County Construction Chemicals Ltd. 3C Sealants®
Unit 4 Chingford Industrial Centre
Hall Lane, London, E4 8DJ